



Pro-Lift[®] CATALOG

Proven safety & performance for over 25 years.



www.proliftproducts.com

Bottle Jacks



- Steel lifting saddle engineered to hold load securely
- Extension screw adjusts to accommodate desired work height
- Built-in bypass system protects against ram over-travel
- Heat treated critical stress areas ensure long life performance
- Carrying handle for 8, 12, and 20 Ton models
- Designed to meet the latest ANSI/PALD standards
- Ideal for auto, truck service, farm, and shop use
- U.S. Patent No. 5,946.912



Bottle Jacks

Model	Capacity	UPC	Lift Range	Package Dimensions	Case #	Item Weight
B-002D	2 Ton	652597013019	7-1/8" - 13-5/8"	4.13" x 4.13" x 7.68"	6	7 lbs.
B-004D	4 Ton	652597013118	8" - 15-3/8"	4.5" x 4.37" x 9.41"	6	9 lbs.
B-006D	6 Ton	652597013125	8-1/2" - 16-1/4"	4.92" x 4.33" x 9.76"	4	12 lbs.
B-008D	8 Ton	652597013057	8-7/8" - 17-3/8"	5.28" x 5.28" x 10.83"	4	13 lbs.
B-012D	12 Ton	652597013095	9-1/2" - 18-7/8"	5.79" x 5.63" x 10.82"	4	18 lbs.
B-020D	20 Ton	652597013071	9-1/2" - 18-3/4"	6.77" x 6.42" x 10.39"	2	25 lbs.
B-033NC	30 Ton	47077801253	11-1/8" - 18-3/4"	9.38" x 8.13" x 14.63"	1	35 lbs.
B-S12D	12 Ton Shorty	652597005106	6" - 10-5/8"	6" x 5.59" x 10.83"	4	14 lbs.
B-S20D	20 Ton Shorty	652597005073	6-1/2" - 11"	6.77" x 6.30" x 11"	2	22 lbs.

⚠ ALWAYS USE A PAIR OF JACK STANDS TO SUPPORT YOUR VEHICLE

Service Jacks



Pro-Lift®

- Pro-Lift hydraulic floor jacks meet or exceed the latest ANSI/PALD requirements
- Patented bypass device protects against over pumping for safe operation
- Built-in safety valve provides overload protection
- Heavy duty steel construction provides long term durability
- Swivel saddle and swivel rear casters provide easy positioning and safety

Service Jacks



F-2330BMC



F-2332




F-767

Service Jacks


Model	Description	Capacity	UPC	Lift Range	Package Dimensions	Case #	Item Weight
F-2332	2 Ton Floor Jack	2 Ton	652597014474	7-1/8" - 13-5/8"	18.31" x 8.86" x 5.71"	1	19 lbs.
F-2330BMC	2 Ton Floor Jack & 2 Ton Jack Stand Combo	2 Ton	652597529923	5-1/4" - 13" Floor Jack & 10-1/2" - 16-3/4" Jack Stands	30.71" x 9.85" x 7.29"	1	36 lbs.
F-767	2 Ton Low-Profile Jack	2 Ton	652597529961	3-3/8" - 15"	22.5" x 8.88" x 5.88"	1	29 lbs.

⚠ ALWAYS USE A PAIR OF JACK STANDS TO SUPPORT YOUR VEHICLE



3

Garage Jacks



Rubber Saddle



Swivel Casters



Magnetic Tool Tray



Rolled Side Frame



G-737

US Patent No
5,946,912 · 6,199,379

G-737

- Rubber saddle pad protects the vehicle while working with the jack
- Universal Joint release mechanism provides precision control of load descent in any handle position
- Magnetic tool tray keeps the small parts around the job site for convenience
- "Speedy Lift", with just 1-2 strokes, allows you to immediately lift to your desired load height, saving time and energy
- Rolled side frame adds strength to reduce twisting
- Meets or exceeds the latest ANSI/PALD requirements



G-2489

G-2489

- Pro-Lift hydraulic garage jacks meet or exceed ANSI/PALD requirements
- Patented bypass device protects against over pumping for safe operation
- Built-in safety valve provides overload protection
- Heavy duty steel construction provides long term durability
- Swivel saddle and swivel rear casters provide easy positioning and safety

Garage Jacks

Model	Capacity	UPC	Lift Range	Package Dimensions	Case #	Item Weight
G-2489	2-1/2 Ton	652597024060	5" - 19-1/2"	22.17" x 14.6" x 7.87"	1	70 lbs.
G-737	3-1/2 Ton	652597529626	5-1/2" - 22"	30.32" x 16" x 7.48"	1	90 lbs.

⚠ ALWAYS USE A PAIR OF JACK STANDS TO SUPPORT YOUR VEHICLE

Jack Stands



Pro-Lift®

Jack Stands

- Sturdy stamped steel construction
- High quality cast ductile iron ratchet bar
- Height adjustment mechanism allows smooth upward movement while release handle locks into position
- Ideal for auto, truck service, farm, and shop use
- Meets or exceeds the latest ANSI/PALD standards



T-6902



T-6903

Jack Stands

Model	Description	UPC	Lift Range	Package Dimensions	Case #	Item Weight
T-6902	2 Ton Jack Stands	652597211033	7-1/8" - 13-5/8"	12.4" x 6.89" x 9.84"	6	12 lbs.
T-6903	3 Ton Jack Stands	652597211019	8" - 15-3/8"	13" x 7.48" x 10"	6	16 lbs.
T-9621	3 Ton Hi-Lift Jack Stands	652597063137	13-1/8" - 21"	12.20" x 8.66" x 12.3"	1	18 lbs.
T-6906	6 Ton Jack Stands	652597211026	8-1/2" - 16-1/4"	17.72" x 9.84" x 14.2"	4	29 lbs.
T-8075	Wheel Chocks	652597530141	n/a	4.92" x 3.35" x 1.97"	10	1.5 lbs.
T-9456	3,000 lbs. Scissor Jack	652597529237	4-1/8" - 15-1/8"	17.72" x 5.31" x 4.13"	4	8.5 lbs.

⚠ ALWAYS USE A PAIR OF JACK STANDS TO SUPPORT YOUR VEHICLE





Creepers & Seats



C-2800



US Patent No.
6,969,077

C-2036D



C-1004



C-3100



C-1000

Creepers

Model	Description	Capacity	UPC	Package Dimensions	Case #	Item Weight
C-1000	47" Mechanics Pad	n/a	652597043399	23.5" x 17.3" x 3"	6	3 lbs.
C-1004	Traditional 6 Caster Creeper	350 lbs.	652597043115	40.94" x 16.93" x 3"	1	19 lbs.
C-2036D	36" Foldable Creeper Seat W/Out Tool Tray	300 lbs.	652597529466	21.85" x 17.33" x 4.61"	1	18 lbs.
C-2800	Seat with Stepstool	300 lbs.	652597529893	16.93" x 15.75" x 5.12"	1	14 lbs.
C-3001	Pneumatic Chair	300 lbs.	652597528245	16.5" x 15.5" x 17"	3	39 lbs.
C-3100	3 Drawer Pneumatic Chair	300 lbs.	652597528121	16.34" x 15.94" x 11.22"	1	27 lbs.

Air Center

**Good**

- On/Off button
- 100 PSI

W-1702

**Better**

- 100 PSI Air Compressor/Inflator
- Work light and flashing emergency light
- Auto shut off pressure gauge

W-1704

**Best**

- High powered Compressor/Inflator
- High volume inflator
- Quick deflator
- Auto shut off pressure gauge
- Work light with On/Off switch
- 200 PSI

W-1706

W-1005



W-2037



Air Inflators

Model	Description	UPC	Package Dimensions	Case #	Item Weight
W-1702	Mini Air Inflator	652597529220	6.5" x 3.38" x 6.25"	4	3 lbs.
W-1704	4 in 1 Air Compressor/Inflator	652597530073	13" x 5" x 9.25"	4	5 lbs.
W-1706	5 in 1 Air Compressor/Inflator	652597530004	13" x 5" x 9.25"	20	5 lbs.

Air Tanks

Model	Description	UPC	Package Dimensions	Case #	Item Weight
W-1005	5 Gallon Air Tank	652597042019	17.91" x 11.42" x 13"	1	18 lbs.
W-1010A	10 Gallon Air Tank	652597051066	22.83" x 13" x 15.4"	1	27 lbs.

Air Accessories

Model	Description	UPC	Package Dimensions	Case #	Item Weight
W-2037	Foot Pump	652597041012	11.42" x 3.54" x 3.15"	10	2 lbs.
W-4525	Blow Gun	652597102232	5.75" x 1.2" x 9.75"	12	1 lb.
W-4526	Air Tank Manifold	652597042026	3" x 1.25" x 1.5"	6	1 lb.
W-4527	Air Tank Hose	652597042057	6" x .75" x .75"	12	1 lb.
W-4528	Air Tank Gauge	652597042040	4.78" x 7.28" x 4.92"	6	1 lb.

Car Beauty & Accessories

I-4510



I-4510 – 10" Buffer/Polisher

- 3200 RPM
- User friendly, double grip provides maximum control while allowing effortless full range movement
- Replacement buffer/polisher pads available

Car Beauty

Model	Description	UPC	Package Dimensions	Case #	Item Weight
I-4506	6" Heavy Duty Orbital Buffer	652597529213	6.1" x 6.1" x 7.88"	1	4 lbs.
I-4510	10" Heavy Duty Orbital Buffer	652597036206	10.24" x 9.65" x 8.66"	2	7 lbs.
I-4500C	10" Cotton Buffer Pad Cover	652597036209	8.66" x 8.66" x 13.39"	24	1 lb.
I-4500L	10" Lambs wool Buffer Pad Cover	652597036117	18.98" x 9.45" x 14.96"	24	1 lb.
I-4526C	6" Cotton Buffer Pad Cover	652597198105	5.91" x 5.91" x 10.24"	24	1 lb.
I-4526L	6" Lambs wool Buffer Pad Cover	652597198112	13.66" x 6.89" x 15.75"	24	1 lb.



I-4506

I-4506 – 6" Buffer/Polisher

- 3500 RPM
- Compact size for hard-to-reach areas
- Replacement buffer/polisher pads available

I-8860



Accessories

Model	Description	UPC	Package Dimensions	Case #	Item Weight
I-8860	12V Dual Motor Vacuum	652597113207	14.17" x 4.53" x 4.92"	6	2 lbs.
I-8870	12V Wet/Dry Shop Vacuum	652597529886	10" x 9.84" x 10"	6	4 lbs.
I-4039	12V Car Fan-6"	652597004185	22" x 14.5" x 11"	6	2 lbs.



I-8870



I-4039



Winches

- Includes power lead
- Remote switch for safe operation
- Easy carry handle
- 3/16" x 30' winch cable with attached hook
- Mounting bracket for trailer hitch ball mounting
- Emergency crank handle with adjustable clutch
- Designed for pulling and positioning



I-9620




I-9635

Winches

Model	Capacity	UPC	Package Dimensions	Case #	Item Weight
I-9620	2,000 lbs. Pulling	652597528803	15.36" x 11.14" x 9.84"	1	26 lbs.
I-9635	3,500 lbs. Pulling	652597528797	16.73" x 11.61" x 10.63"	1	40 lbs.

Wrenches

- Chrome plated
- Heavy gauge steel
- Socket sizes: 11/16", 3/4", 13/16", 7/8"



Wrenches

Model	Description	UPC	Package Dimensions	Case #	Item Weight
W-9010	14" SAE	652597100344	13.75" x 1" x 13.75"	1	2 lbs.
W-9047	14" MET	652597100351	14" x 1.25" x 14"	1	2 lbs.
W-9038	20" SAE	652597100405	20" x 1.25" x 20"	3	4 lbs.



Specialty Lifts

- Perform necessary mower maintenance
- Easy, convenient hydraulically powered foot pedal operation
- Rubber coated saddle to prevent unwanted movement
- Welded solid steel construction
- Positive dual locking safety latch for added safety
- Four steel wheels for sturdy mobility
- Patent pending
- Home and Premium Series Available



Lawn Mower Lift



Motorcycle Lift

- 3 position safety lock
- Low profile clearance of 4-12"
- Multiple tie down points
- 1,500 lbs. capacity
- Lifts over 14"
- 11-1/2" lifting saddles
- Protective rubber pads
- Swivel casters



T-2152



Specialty Lifts

Model	Description	Capacity	UPC	Lift Height	Package Dimensions	Case #	Item Weight
T-5350B	Lawn Mower Lift	350 lbs.	652597529862	20"	41.15" x 15.95" x 7.29"	1	77 lbs.
T-5500	Premium Lawn Mower Lift	500 lbs.	652597529596	27"	31.1" x 14.57" x 12.99"	1	160 lbs.
T-2152	Motorcycle Lift	1,500 lbs.	652597529856	4-2/3" - 11"	60" x 19" x 7"	1	63 lbs.

Warranty



- Small Package /LTL Drop Ship
- Direct Import
- Domestic Shipping
- Centrally Located in Kansas City, MO

90 DAY/ TWO YEARS LIMITED WARRANTY

For a period of ninety (90) days or two years (depending on the product warranty) from date of purchase, SFA COMPANIES, INC. will repair or replace, at its option, without charge, any of its products which fails due to a defect in material or workmanship, or which fails to conform to any implied warranty not excluded hereby. Performance of any obligation under this warranty may be obtained by returning the warranted product, freight prepaid, to SFA COMPANIES, INC. Warranty Service Department, 10939 N. Pomona Ave., Kansas City, MO 64153.

Except where such limitations and exclusions are specifically prohibited by applicable law, 1) THE CONSUMER'S SOLE AND EXCLUSIVE REMEDY SHALL BE THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCTS AS DESCRIBED ABOVE, AND 2) SFA COMPANIES, INC. SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGE OR LOSS WHATSOEVER, AND 3) THE DURATION OF ANY AND ALL EXPRESSED AND IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED TO A PERIOD OF NINETY (90) DAYS / TWO YEARS FROM DATE OF PURCHASE.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Products denoted with this symbol ▼ contains DEHP, a phthalate chemical known to the State of California to cause birth defects and other reproductive harm.



1988

Pro-Lift

1996

Pro-Lift

2001

Pro-Lift

2006

Pro-Lift®

Proven safety & performance for over 25 years.



www.proliftproducts.com

SFA Companies - USA

10939 N Pomona Ave, Kansas City, MO 64153
Phone: 816-891-6390 Fax: 816-891-6599

SFC Companies - Canada

6355 Shawson Drive, Unit 1, Mississauga, Ontario L5T 1S7
Phone: 1-888-820-3737, 1-905-362-2277 Fax: 1-905-362-2280